



PrEP: a UK guide






June 2019

PrEP protects you against HIV even if you don't use a condom.

This leaflet is about PrEP.



PrEP is a single pill that contains two drugs:

- 1. tenofovir (TD or TDF) &
- 2. emtricitabine (FTC)

Most people take PrEP as a daily pill.

Some people can take PrEP less often.

You and your doctor can talk about different ways that PrEP can be used.

PrEP = pre-exposure prophylaxis

Pre means "before"

– i.e. taking meds
before you have sex
(and also afterwards).

chance or situation where your body is exposed to the risk of catching HIV.

Prophylaxis means a way of preventing an infection.



Who can use PrEP?

Adult PrEP works whatever your age, gender or sexuality.

- If you do not always use condoms.
- If you had an STI in the last year.
- If you ever use PEP (post -exposure prophylaxis).
- If you use some recreational drugs - especially chemsex (meth, meph or GHB).
- If worrying about HIV stops you having a good sex life.
- If your partner is HIV positive and not on treatment. (An undetectable viral load has no risk of HIV transmission).

Getting PrEP in the UK...

Currently, PrEP is only available free on the NHS in Scotland.

www.prep.scot

NHS England is providing PrEP for 26,000 people in the IMPACT study.

www.prepimpacttrial.org.uk

PrEP is available in NHS sexual health clinics in Wales and Northern Ireland in similar studies.

The Mags Portman PrEP Access Fund also provides free PrEP (www.tht.org).

Buying PrEP online

UK community websites have lots of information about buying PrEP online:

- (i) iwantprepnow.co.uk
- i prepster.info
- i-base.info/guides/prep/ buying-prep-online

Generic PrEP costs about £20 – £40 + post for 30 tablets (depending on supplier).

56 Dean St clinic sells generic PrEP from £17.50 a pack.

♠ http://dean.st/prepshop

Sex work

PrEP can be used for any job in the sex industry including porn. Many sex workers look after their sexual health but their clients might not.

- PrEP will protect against HIV if you are pressured to not use condoms.
- Specialised services (that are free from stigma and judgement) are available and recommended.
- www.uglymugs.org
 i-base.info/guides/prep/sex-work

Tests and monitoring

People using PrEP need support with a few monitoring tests.

- An HIV test (4th generation Ab/Ag). PrEP is only for HIV negative people.
- 2. STI tests, including hep B.

 Regularly checking for other
 STIs is good practice. It needs
 to include hep B because
 PrEP is active against hep B.
- Kidney tests. Routine kidney monitoring (how often varies for different people).

These tests are free in many NHS sexual health clinics if you say you are using generic PrEP.

Dosing options

PrEP is dosed in two main ways.

 Daily dosing - taking a single tablet every day works for both vaginal sex and anal sex.

Most PrEP studies used daily dosing. If you are often at risk, ie more than once a week, then daily PrEP might be more effective for you.

If you miss odd doses you will still have very high protection.

Daily PrEP is the only option for women and trans people who want protection from vaginal sex.

Daily PrEP is the only option if you have hepatitis B.

On-demand dosing involves only taking PrEP when you are likely to have sex.

This gets good drug levels to anal but not vaginal tissue.

On-demand dosing involves:

Two tablets up to 24 hours before sex.

1&2

One tablet after sex (24 hours after the first dose)



 One tablet 48 hours after the first dose.



The "pre" dose is important. It is defined as from about 2 to 24 hours before. TDF takes 24 hours to reach good levels in anal tissue. FTC takes about 30 minutes.

On-demand example

i.e if you think you might have sex on Friday night...

Thursday evening - take TWO tablets (ideally 2 to 24 hours before sex).





Friday - SEX - take ONE tablet on Friday evening.



Saturday evening - take ONE final tablet.



If you also have sex on Saturday and Sunday, take a single tablet on each of these days. Then take a final PrEP on Monday.



i-base.info/on-demand-dosing

Tips: remembering to take PrEP

Pick the best time to take PrEP and get into a routine.

Keep an adherence diary - mark off each day.

Use a pill box to know if you have taken or missed your PrEP.

Set a repeat alarm on your phone or use an App.

Rough timing is okay - even a late 'pre' dose provides some protection. For anal sex, four doses every week provides more than 95% protection.



Side effects & drug resistance

Most people don't get side effects. Those that do are usually mild and stop within the first few weeks.

Routine monitoring checks for more serious reactions that are rare.

Drug resistance is only a risk if you become HIV positive from forgetting to take PrEP. This was rare in PrEP studies.

Also, PrEP will not work against HIV that is resistant to TDF and FTC. Only a few such cases have been reported since PrEP was approved in 2012.

More info

This leaflet is reduced from a 24-page booklet on PrEP.



i-base.info/guides/PrEP

The full booklet has more info on how to use PrEP, monitoring, buying PrEP online, dosing options, stopping PrEP and other questions.

Also on PrEP for women and for transgender people.

Information is all online or we can post you a free print copy.



i-base.info/order

i-Base, 107 The Maltings, London, SE1 3LJ.

So long as you take PrEP it is much more than 99% effective.

PrEP can help you enjoy without worrying about HIV.